

ABSTRACT OF THE INVENTION

Anionic coloring agents comprising at least one spacer arm bounded to their chemical structure. These anionic coloring agents have the following general formula:  $C_A-B_E$ , wherein,  $C_A$  is an anionic coloring agent comprising at least a chromophore group; and  $B_E$  is the spacer arm, which has the following chemical structure:  $-(X-R-Z)_r$ , wherein,  $X$  is a direct link or a group having the formula  $-S(O)_s$ , wherein  $s$  is 0, 1 or 2; or  $-NR_1-$ , wherein,  $R_1$  is hydrogen or a  $C_1-C_{10}$  alkyl group;  $R$  is a  $C_1-C_{10}$  straight or branched alkylene group;  $Z$  is a polar group; and  $r$  is an integer equal or higher than 1.

The invention also refers to coloring compositions, which comprise at least one anionic coloring agent of the formula  $C_A-B_E$  in admixture with anionic coloring agents which do not comprise spacer arms. Moreover, the invention reveals the use of the anionic coloring agents and said coloring compositions comprising them to dye cotton and wool substrates, regenerated cellulose, leather, cardboard and paper.

The introduction of spacer arms in the structure of anionic coloring agents leads to modified anionic coloring agents, which differ from the known coloring agents in their dyeing properties such as strength, tone and affinity, due to fixation modifications onto the substrate to be dyed.